Certificate of Analysis

Powered by Confident LIMS

Third Space Brewing, LLC


1505 W. St. Paul Ave
Milwaukee, WI 53233
[redacted]
(414) 909-2337

Sample: 2611AIT0503.1026

Strain: N/A
Batch#: BHM Batch 8; Batch Size: packages
Sample Received: 11/09/2026; Report Created: 11/09/2026

Blackberry Hibiscus Mosaic THC Sparkling Water Batch 8

Ingestible, Beverage, Other



0.003%	<LOQ	0.003%
11.5 mg/container	<LOQ	11.5 mg/container
11.5 mg/serving	*<LOQ*	*11.5 mg/serving*
Total THC	Total CBD	Total Cannabinoids

Cannabinoids

Date Tested: 11/09/2026

Analytes	%	mg/g	mg/ml	mg/serving	LOQ
CBC	<LOQ	<LOQ	<LOQ	<LOQ	0.000
CBD	<LOQ	<LOQ	<LOQ	<LOQ	0.000
CBDa	<LOQ	<LOQ	<LOQ	<LOQ	0.000
CBDV	<LOQ	<LOQ	<LOQ	<LOQ	0.000
CBG	<LOQ	<LOQ	<LOQ	<LOQ	0.000
CBGa	<LOQ	<LOQ	<LOQ	<LOQ	0.000
CBL	<LOQ	<LOQ	<LOQ	<LOQ	0.000
CBN	<LOQ	<LOQ	<LOQ	<LOQ	0.000
Δ8-THC	<LOQ	<LOQ	<LOQ	<LOQ	0.000
Δ9-THC	0.003	0.032	0.032	11.479	0.000
THCa	<LOQ	<LOQ	<LOQ	<LOQ	0.000
THCV	<LOQ	<LOQ	<LOQ	<LOQ	0.000
THCVa	<LOQ	<LOQ	<LOQ	<LOQ	0.000

Method: HPLC
Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD

Total Cannabinoids represents the sum of all cannabinoids in the table above.
Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %
LOQ = Limit of Quantitation

Summary

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com

John Schmidt
Analytical Chemist

Confident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certicate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division – Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.